


FELIX GLUER | Light




THE PERFECT SOLUTION FOR SPECIALITY GLUING
OF SMALL PACKAGING, PRINTED MATERIALS AND
FOAM IN SMALL AND MEDIUM QUANTITIES



TECHNICAL DATA

- 2 different work table operating modes:
1 × B0 or 2 × B1 with a set of element
positioning magnetic pins
- Multi-element gluing
- Powered by Valco Melton® glue system
- Maximum stack height 150 mm
- Both hot melt & cold glue precise micro dot
and micro line application
- A PC with preinstalled design & control
software: **FELIX GLUER : Pro** (full license)
- Free CAD design import (DXF, DWG, AI)
- Production planning and control tools
- Advanced remote service system with
service camera

GLUE ANY MATERIAL



paper




solid cardboard




microflute



corrugated
cardboard



felt



PP foam • PE foam
EVA foam

ANY GLUING PATH POSSIBLE



line



multiline



dashed
line




dots




micro
dots



spray



FELIX GLUER : Light	
1 × B0 [1000 × 1414 mm]	OR 2 × B1 [707 × 1000 mm]



FACTS & FIGURES

Production data shared from other satisfied
FELIX GLUER : **Light** customers



	Type of application	Template	Ready element	FG : Light
1	1 GLUING POINT 20 cm x 15 cm			4 workers
				960 sets/h *
2	4 GLUING POINTS 40 cm x 34 cm lock bottom, single socket with panel hanger			2 workers
				400 sets/h *

* production data includes time for material reloading

OPTIONAL ACCESSORIES

Take your productivity to the next level
with optional accessories

FELIX GLUER : Photopath system

Easy glue paths design in just 3 steps:

1. The system takes a photo of the materials stacked in the machine.

2. The operator draws glue paths on the photo.

3. The machine applies glue according to the designed paths.

FG:Photopath

FELIX GLUER : Studio

Prepare gluing projects in your office/DTP department & send ready files directly to the machine.

You can use your CAD FILES:

DXF

DWG

AI

CARD ACCESS

FELIX GLUER : Card access

Touchless login to the FELIX GLUER system.
Allows different access levels and roles for Operator/Admin/Service.

CARD ACCESS

FELIX GLUER : Statistics

Production costs data analyzer

Calculate:

- Gluing time per material or for the whole job.
- Glue consumption per material or for the whole job.
- Production time.
- Glue weighing option.

FG:Statistics

Connect FELIX GLUER to your internal network system.

Get remote technical assistance and machine any time your operator needs it.

BONDING PROCESS SUPPORT

Auxiliary equipment for the FELIX GLUER : **Light** - the pressing section



FELIX GLUER : WORLDWIDE INSTALLATIONS & PARTNERS



FELIX GLUER AUTHORIZED PARTNER

DIGIDONPLUS S.R.L
Cluj-Napoca, Piata 1 Mai,
nr.4-5, 400141 (incinta
Clujana), Romania
<https://digidon.ro>

Otto Danko
(+40)742887077
otto@digidon.ro

digidon

HEADQUARTERS CONTACT DETAILS

FELIX GLUER

Office & Production

FELIX GLUER Sp. z o.o.
ul. Sikorskiego 119
05-080 Kludyn, Poland
office@felix-gluer.com

Sales Department

sales@felix-gluer.com

www.felix-gluer.com

Made in EU



Contact for media

pr@felix-gluer.com

Service & Technical Support

support@felix-gluer.com



Press

pressure adjustment
for different thicknesses
of materials

special anti-scratch work
table & rolls finish

wheels for easy
maneuvering

finished products
container



FELIX GLUER : **Press**

Available in 3 different sizes:

650 mm

1000 mm

1300 mm

3D model